

PRODUCT DESCRIPTION

BEX® Heavy Duty Performance Monograde Engine Oils are single grade quality oils for use in diesel engines of many major manufacturers and engines using gasoline fuel. Always consult the vehicle or equipment manual for proper fluid & maintenance guidelines. BEX® oils are warranted against defect when used & stored properly.

FEATURES & BENEFITS

- Provides wear protection to promote engine durability
- Low ash content minimizes deposits and keeps intake ports clean
- Protects critical engine parts from rust & corrosion
- Oxidation resistance extends engine life
- Highly dispersant detergents protect against sludge & varnish deposits

TYPICAL PROPERTIES

TEST NAME	ASTM Method	SAE 30	SAE 40	SAE 50	SAE 60
Kinematic Viscosity @ 100° C, cSt	D445	10.5	14.5	17.3	23.0
Kinematic Viscosity @ 40° C, cSt	D445	89.5	143.15	186.1	285.05
Viscosity Index	D2270	100	100	100	100
Flash Point °C / °F	D92	210 / 410	220 / 428	230 / 446	240 / 464
Pour Point °C / °F	D97	-15 / 5	-10 / 14	-5 / 23	-5 / 23
Sulfated Ash, wt %	D874	1.1	1.1	1.1	1.1
TBN mgKOH/g	D2896	8	8	8	8
Color	D1500	3.5	3.5	3.5	3.5

Typical test data may vary. Minor variations, which do not affect performance, may occur.

PACKAGING DETAIL & PART NUMBERS

PRODUCT PACK SIZE	UNIT WEIGHT	Cubic Feet	PALLET QTY	PALLET WEIGHT	PART NO.	PART NO.	PART NO.	PART NO.
Case 12/ 1L, net 12L	25.2	0.78	98	2515	B919Q	B920Q	B921Q	B922Q
Case 4/ 4L, net 16L	33.5	1.03	60	2055	B919L	B920L	B921L	B922L
Case 4/ 5L, net 20L	42.5	1.22	50	2170	B919G	B920G	B921G	B922G
Pail 18.9L (5 gal)	38.0	1.24	42	1640	B919P	B920P	B921P	B922P
Pail 20L	40.2	1.24	42	1735	B919J	B920J	B921J	B922J
Drum 208L (55 gal)	428	10.52	4	1760	B919D	B920D	B921D	B922D
Tote 1000L (265 gal)	1930	49.4	1	1930	B919T	B920T	B921T	B922T

TYPICAL APPLICATIONS

- Heavy duty, automatic & power-shift transmissions specifying an Allison C-4 fluid, or use of obsolete API diesel specs CF-4/CF/CF-2, CE, CD and API SL
- Farm equipment with diesel or gasoline engines
- Heavy equipment used in construction, quarry, mining operations in engine, transmission & hydraulic systems

HANDLING AND SAFETY INFORMATION - Refer to (SDS) Safety Data Sheets for proper handling and safety information. Use the same care and handling as for any petroleum product. Nothing herein shall be deemed to constitute a warranty, express or implied, that said information or data are correct or that the products described are merchantable or fit for a particular purpose, or that said information, data or products can be used without infringing patents of third parties.

